Connecticut Environmental Justice Screening Tool

Connecticut Institute for Resilience & Climate Adaptation

7/17/23



CIRCA Project Team



Yaprak Onat, Ph.D., P.E.

Associate Director of Research



Mary Buchanan, Ph.D.

Community
Resilience Planner



Libbie Duskin, MGIS.

Data Analyst

Interns



Defne Alpdogan



Alexis Torres



Michael Pimenta

Outline

01

About

The mapping tool aim and goals of the project

04

Development

The development process and feedback system

02

Capacity

Limitations and capacity of the tool

05

Data & Methods

Data categorization and indicators

03

The Use

How can the mapping tool be used?

06

Demo

Demo of version 1.5 and Project Timeline

Environmental Justice Screening Tool

Combines environmental and demographic data to highlight areas where **vulnerable populations** may be **disproportionately impacted** by pollution.



EPA EJScreen

The mapping tool aims to



Data Integration

Supplemented with local information and experience



Easy Access

Web-based GIS tool for statewide



Policy making

The first screening for State, County, and Municipal decision making





The mapping tool's capacity

This Mapping Tool **DOES**:

- Identify potential sources of pollution.
- Identify areas that present potential hazards in the event of an accident or emergency.
- Identify census tracts near potential pollution sources.
- Identify the degree to which a community, by census tract, is vulnerable due to socioeconomic and health disparities.

This Mapping Tool **DOES NOT**:

- Does not reflect actual exposures to pollution
- Does not model the overall pollution burden nor reflect the number of individuals that may be affected by pollution.
- Does not model the positive or negative likelihood of an individual's risks for poor health outcomes.
- Does not release private addresses, information, or names.







Limitations of the mapping



Various Dataset

Nothing is really "equal weight"



Resolution

Inconsistent data representation



Realistic

The impact of the pollution may be inadequate



Expert need

Evaluation of need multidisciplinary expert collaboration



































Project Development



State Data Advisory Committee (SDAC)

- Office of Policy & Management
- Yale Center on Climate Change & Public Health
- DataHaven
- Department of Economic and Community Development
- Department of Transportation
- Department of Public Health
- Department of Emergency Services and Public Protection
- Clean Air Association of the Northeast States (NESCAUM)
- Connecticut Data Collaborative





Mapping Tool Advisory Committee

- Goal: Fund organizations and individuals to advise on environmental justice mapping efforts for Connecticut
- Members: 2 organizations and 4 individuals
- Eligibility: Individuals with lived experience or representatives from community-based organizations (CBOs)
 - Operation Fuel
 - Groundwork Bridgeport
 - Individuals from Bridgeport,
 Windsor, New Haven, Hartford










Forums

Bridgeport - East End NRZ
Waterbury - Waterbury Health
Department and Bridge to Success
Hartford- Center for Latino Progress
Groton - City of Groton
New Haven - Junta Progressive Action





Project Timeline



The public Comment Period Starts with a Webinar on July 17th and ends on July 30th.





Data Collection

Indicator Selection and Calculation Cumulative Index Calculation

- GC3 Report Suggestions
- CT Specific Data Updates
- Environmental, Pollution, Health and Socioeconomic data sources


Data Collection Indicator Selection and Calculation Cumulative Index Calculation

- Each indicator is equal within the category.
- If the data inside the indicator is weighted based on either proximity, value range or rate difference.
- Percentile and Rank calculation among census tracts.
- Allows relative comparison between census tracts.

Data Collection

Indicator Selection and Calculation Cumulative Index Calculation

- Each indicator is equal within the category.
- If the data inside the indicator is weighted based on either proximity, value range or rate difference.
- Percentile and Rank calculation among census tracts.
- Allows relative comparison between census tracts.



Data Collection

Indicator Selection and Calculation Cumulative Index Calculation

Mapping

- Each indicator is equal within the category.
- If the data inside the indicator is weighted based on either proximity, value range or rate difference.
- Percentile and Rank calculation among census tracts.
- Allows relative comparison between census tracts.

"Percentiles show the placement of the data point within the dataset"

"Percentiles are normalized to ranks from 0 to 10 to standardized units among the indicators"

Data Collection

Indicator Selection and Calculation Cumulative Index Calculation

Mapping

- Each indicator is equal within the category.
- If the data inside the indicator is weighted based on either proximity, value range or rate difference.
- Percentile and Rank calculation among census tracts.
- Allows relative comparison between census tracts.

"Percentiles show the placement of the data point within the dataset"

"Percentiles are normalized to ranks from 0 to 10 to standardized units among the indicators"


Data Collection

Indicator Selection and Calculation Cumulative Index Calculation

Overall Score	Environmental Justice Index Score = Pollution Burden x Sensitive Populations			
Composite Category	Pollution Burden 0.5 × average(PPS) + average(PPE) 1.5		Sensitive Populations average(SF) + average(HS) 2	
Category	Potential Pollution Sources (PPS)	Potential Pollution Exposure (PPE)	Socioeconomic Factors (SF)	Health Sensitivity (HS)

Data Collection

Indicator Selection and Calculation Cumulative Index Calculation




Data Categorization








Data Categorization







Data Categorization







Overall Score	Environmental Justice Index Score = Pollution Burden x Sensitive Populations			
Composite Category	Pollution Burden $\frac{0.5 \times average(PPS) + average(PPE)}{1.5}$		Sensitive Populations average(SF) + average(HS) 2	
Category	Potential Pollution Sources (PPS)	Potential Pollution Exposure (PPE)	Socioeconomic Factors (SF)	Health Sensitivity (HS)
Indicator	 Brownfield sites Proximity to Superfund Sites Impervious Surfaces Incinerators Landfills Housing Lead Risk Municipal Transfer Stations Potentially Contaminated/Clean- Up Sites Recycling Processing Facilities Significant Environmental Hazards Underground Storage Tanks Facilities Managing Hazardous Chemicals Wastewater Discharges 			





Overall Score	Environmental Justice Index Score = Pollution Burden x Sensitive Populations			
Composite Category	Pollution Burden $\frac{0.5 \times average(PPS) + average(PPE)}{1.5}$		Sensitive Populations average(SF) + average(HS) 2	
Category	Potential Pollution Sources (PPS)	Potential Pollution Exposure (PPE)	Socioeconomic Factors (SF)	Health Sensitivity (HS)
Indicator	 Brownfield sites Proximity to Superfund Sites Impervious Surfaces Incinerators Landfills Housing Lead Risk Municipal Transfer Stations Potentially Contaminated/Clean- Up Sites Recycling Processing Facilities Significant Environmental Hazards Underground Storage Tanks Facilities Managing Hazardous Chemicals Wastewater Discharges 			





Overall Score	Environmental Justice Index Score = Pollution Burden x Sensitive Populations			
Composite Category	Pollution Burden $\frac{0.5 \times average(PPS) + average(PPE)}{1.5}$		Sensitive Populations average(SF) + average(HS) 2	
Category	Potential Pollution Sources (PPS)	Potential Pollution Exposure (PPE)	Socioeconomic Factors (SF)	Health Sensitivity (HS)
Indicator	 Brownfield sites Proximity to Superfund Sites Impervious Surfaces Incinerators Landfills Housing Lead Risk Municipal Transfer Stations Potentially Contaminated/Clean- Up Sites Recycling Processing Facilities Significant Environmental Hazards Underground Storage Tanks Facilities Managing Hazardous Chemicals Wastewater Discharges 		 Rent-ownership Ratio 	





Overall Score	Environmental Justice Index Score = Pollution Burden x Sensitive Populations			
Composite Category	Pollution Burden $0.5 \times average(PPS) + average(PPE)$ 1.5		Sensitive Populations average(SF) + average(HS) 2	
Category	Potential Pollution Sources (PPS)	Potential Pollution Exposure (PPE)	Socioeconomic Factors (SF)	Health Sensitivity (HS)
Indicator	 Brownfield sites Proximity to Superfund Sites Impervious Surfaces Incinerators Landfills Housing Lead Risk Municipal Transfer Stations Potentially Contaminated/Clean- Up Sites Recycling Processing Facilities Significant Environmental Hazards Underground Storage Tanks Facilities Managing Hazardous Chemicals Wastewater Discharges 	Emissions Noise Ozone Particulate Matter 2.5 Toxic Releases from Facilities Major Sources of Air Pollution Minor Air Pollution Sources Minor Air Pollution Facilities Traffic Density	 Rent-ownership Ratio 	 Asthma Emergency Dept. Visit Rate Cardiovascular Disease Mortality Rate Population with Disability Low Birthweight Rate of Infants Declined Mental Health Depression Rates EPA Cancer Risk EPA Respiratory Hazard Risk





Project Deliverables

Web Interface

CT EJ Screen Project
Website in English
and Spanish

CT EJ Screen Web
Application in
English and Spanish

Data Hub for Shapefiles

User Guides

2-Pager User Guide
explaining the
interface
Widget Description User
Guide
Web Application Tutorial
Document
Web Application Video
Tutorial
All materials Translated
into Spanish

Engagement Materials

Factsheet General Audience Guide on What to Do with CT EJ Screen Tool List of Community Resources, Grants, and Financial Assistance Opportunities Ideas for What to do with the CT EJ Screening Tool Applications of Statewide **Mapping Tools** Second Language Speaker High School Curriculum Final Report

Project Deliverables

Web Interface

CT EJ Screen Project
Website in English
and Spanish

CT EJ Screen Web
Application in
English and Spanish

Data Hub for Shapefiles

User Guides

2-Pager User Guide
explaining the
interface
Widget Description User
Guide
Web Application Tutorial
Document
Web Application Video
Tutorial
All materials Translated
into Spanish

Engagement Materials

Factsheet General Audience Guide on What to Do with CT EJ Screen Tool List of Community Resources, Grants, and Financial Assistance Opportunities Ideas for What to do with the CT EJ Screening Tool Applications of Statewide Mapping Tools Second Language Speaker High School Curriculum Final Report

Project Deliverables

Web Interface

CT EJ Screen Project
Website in English
and Spanish

CT EJ Screen Web
Application in
English and Spanish

Data Hub for Shapefiles


User Guides


2-Pager User Guide
explaining the
interface
Widget Description User
Guide
Web Application Tutorial
Document
Web Application Video
Tutorial
All materials Translated
into Spanish

Engagement Materials

Factsheet General Audience Guide on What to Do with CT EJ Screen Tool List of Community Resources, Grants, and Financial Assistance Opportunities Ideas for What to do with the CT EJ Screening Tool Applications of Statewide Mapping Tools Second Language Speaker High School Curriculum **Final Report**

CT EJ Index ver 1.5





Composite representation

- Pollution is accumulated in major cities and highway line
- Population characteristics are dominant on the east







https://connecticut-environmentaljustice.circa.uconn.edu/







